	CLASSIFICATION		AOENOV	REPORT		
	CENTRAL	LINTELLIGENCE	AGENCI	CD NO.		
	INFORM	MATION R	EPUN	CD NO.		
				DATE DISTR.	12 Octobe	r 1555
	. Germany		n paster i	NO. OF PAGE	3	25 X 1
Rail	troad Construction	Projects	æ .			
			MEST . IN	USTED BELOW	\$.	
ED .		27.4		CLIPPLEMEN ORT NO		
•						
		**.		•		25X1
				and the state of t	•	
到 2000年 公司建筑	1.00 07 YEAR BELLEVIS TO			- WITTED INE	NOMATION	
	CHARTICH AFFECTICS THE NATIONAL IN THE MEASURE OF TITLE 18, SECT IN THE MEASURE OF TRANSMISSION		THIS IS U	NEVALUATED INFO)KiriKi IOII	
OF THE U. S. CODE.	OR RECEIPT SY AL GRASTHORIZED REPRODUCTION OF THIS PORTS IS PR	CATRITUDE CONTRIBUTION				
IND MY LAW THE		STATE OF THE PERSON OF THE PER			· · · · · · · · · · · · · · · · · · ·	
				s shoomred in th	ne wooded ar	ea. 25X1
1.	On 1 August 1955	, logging oper	ALIONS MATA			
	City T Tree and a way to		Jamestana ne	orth of Milholz	shorat, alon	6 ZOX
				observed in the orth of Milhelm		
	south of Potsum	uthwest line.	Sections o	f pre-abricate	a temporary ra heing shi	nped
	a northeast = so	uthwest line.	Sections o of buildi	f pre-labricated materials we	re being shi	pped of
	a northeast = so buildings and la	uthwest line. The quantities The operations	Sections o of buildi were conn	f presabricate ng materials we ected with the	re being shi construction m section of	pped of
	a northeast = 50 buildings and la into this arrae a double-trac: I	outhwest line. irge quantities The operations railroad line e	Sections o of buildi were conn	f presabricate ng materials we ected with the	re being shi construction m section of	pped of
	a northeast = so buildings and la into this arra. a double-trac: I the Berlin Outer	withwest line. urge quantities The operations railroad line e Freight Ring ded "SA-GO", l	Sections of of building were connecteding factors the	f preseabricate ng materials we ected with the rom the souther Havel Rivers T	re being shi construction n section of the construct	pped of ion
	a northeast = so buildings and la into this arrac. a double-trac. I the Berlin Outer project was call	withwest line. irge quantities The operations railroad line e Freight Ring led "SA-GO", l	Sections of of building were connextending factors the	f presenticates on materials we ected with the rom the souther Havel Rivers T	re being shi construction n section of the construct	pped of cion
	a northeast = 50 buildings and la into this arrae. a double-trac. I the Berlin Cutri project **as call	operations are	Sections of soft building were connextending facross the	f presenticated of materials we ected with the rom the souther Havel Rivers To be resumed	re being shi construction n section of the construct on the Hall inter time t	pped of cion
	a northeast = so buildings and la into this arra. a double-tract I the Berlin Cuter project #88 call Electrification Koethen railroa	on thwest line. If you can tities the operations are irreight Ring led "SA-GO". I operations are d lire on 2 Cot the power will be a constant.	Sections O s of buildi s were conn extending f across the e scheduled tober 1955 be supplied	f presenticated of materials we ected with the rom the souther Havel Rivers To be resumed	re being shi construction n section of the construct on the Hall inter time t	pped of cion
2.	a northeast = 50 buildings and la into this arrae. a double-trac. I the Berlin Cutor project **as call Electrification Koethen railroa goes into effec	operations are dire on 2 Cot. Power will lroad power st	Sections of of building were connected as the across the connected across the across the connected across the	f pre-labricate of materials we ected with the rom the souther Havel Rivers To be resumed when the new will by the newly of	re being shi construction on section of the construct on the Wall inter time t	pped of cion
2.	a northeast = so buildings and la into this arrac. I the Berlin Cuter project was call Electrification Koethen railrow goes into effect Luldenstein rai	outhwest line. Irge quantities The operations railroad line e Freight Ring led "SA-GO", l operations are d lire on 2 Cot t. Power will l lroad power st	Sections of soft building were connected across the escheduled tober 1955 be supplied action.	f pre-labricate of materials we ected with the rom the souther Havel Rivers To be resumed when the new will by the newly continued which in the new will be the newly continued to be resumed when the new will be the newly continued cathing the material cathing.	re being shi construction n section of the construct on the Hall inter time t constructed was under	pped of cion
2.	a northeast = 50 buildings and la into this arrac. a double-trac. I the Berlin Cuter project was call Electrification Koethen railroa goes into effec Euldenstein rai	operations are d lire on 2 Cot t. Power will lroad power st	Sections of soft building were connected as the across the escheduled tober 1955 be supplied attion.	f pre-labricate of materials we ected with the rom the souther Havel Rivers To to be resumed when the new will by the newly of the second that all the second the second that all the second the second that all the second the second that all the second that all the second that all the second the second that all the second the second that all the second the second the second that all the second the second the second the second that all the second	re being shi construction n section of the construct on the Hall inter time t constructed was under nd the Oder	pped of tion e = able
2.	a northeast = 50 buildings and la into this arrac. a double-trac. I the Berlin Cuter project was call Electrification Koethen railroa goes into effec Euldenstein rai	operations are d lire on 2 Cot t. Power will lroad power st	Sections of soft building were connected as the across the escheduled tober 1955 be supplied attion.	f pre-labricate of materials we ected with the rom the souther Havel Rivers To to be resumed when the new will by the newly of the second that all the second the second that all the second the second that all the second the second that all the second that all the second that all the second the second that all the second the second that all the second the second the second that all the second the second the second the second that all the second	re being shi construction n section of the construct on the Hall inter time t constructed was under nd the Oder	pped of tion e = able
2.	a northeast = so buildings and la into this aria. a double-track I the Berlin Outer project **as call Electrification Koethen railroad goes into effect Euldenstein rail construction in River. It was a	withwest line. Inge quantities The operations railroad line of Freight Ring led "SA-GO". operations are d lire on 2 Co t. Power will l lroad power st t was observed the area betw liso learned th	Sections of soft building were connected in a cross the constant of across the control of the co	f preshabricate ng materials we ected with the rom the souther Havel Rivers T to be resused when the new wi help the newly of w signal cabin in - Altstadt a ckage in this a	re being shi construction on section of the construct on the Hall inter time t constructed was under nd the Oder rea was to b	pped of cion able
2.	a northeast = so buildings and la into this aria. a double-track if the Berlin Cuter project **as call Electrification Koethen railroadoes into effect Muldenstein rail Construction in River. It was a enlarged of the statement o	withwest line. Inge quantities The operations railroad line e r Freight Ring led "SA-GO". Operations are d lire on 2 Co t. Power will l lroad power st t was observed the area betw lso learned th	Sections of of building were connected across the escheduled tober 1955 be supplied to the connected and that a new ween Kuestrant the transport of the transpo	f presenticated materials we ected with the ected with the rom the souther Havel River. The to be resuced when the new will by the newly of the main and the second capital cabin in a Altstadt a charge in this a	re being shi construction n section of the construct on the Hall inter time t constructed was under nd the Oder rea was to b	pped of cion e - able
2.	a northeast = so buildings and la into this aria. a double-track if the Berlin Cuter project **as call Electrification Koethen railroadoes into effect Muldenstein rail Construction in River. It was a enlarged of the statement o	withwest line. Inge quantities The operations railroad line e r Freight Ring led "SA-GO". Operations are d lire on 2 Co t. Power will l lroad power st t was observed the area betw lso learned th	Sections of of building were connected across the escheduled tober 1955 be supplied to the connected and that a new ween Kuestrant the transport of the transpo	f presenticated materials we ected with the ected with the rom the souther Havel River. The to be resuced when the new will by the newly of the main and the second capital cabin in a Altstadt a charge in this a	re being shi construction n section of the construct on the Hall inter time t constructed was under nd the Oder rea was to b	pped of cion e - able
2.	a northeast = so buildings and la into this aria. a double-trace I the Berlin Outer project **as call Electrification Koethen railroad goes into effect Muldenstein rail Construction in River. It was a enlarged. Repair work on completed and formal tendand to be so builded and formal tendand to be so builded.	withwest line. Inge quantities The operations railroad line of Freight Ring led "SA-GO". operations are d lire on 2 Cot t. Power will l lroad power st t was observed the area betwelso learned the the railroad by	Sections of of building were connected across the escheduled tober 1955 be supplied to the connected and that a new ween Kuestrant the transport of the transpo	f presenticated materials we ected with the ected with the rom the souther Havel River. The to be resuced when the new will by the newly of the main and the second capital cabin in a Altstadt a charge in this a	re being shi construction n section of the construct on the Hall inter time t constructed was under nd the Oder rea was to b	oped of sion able oe rin was ack) since
2 · 3 · 4 ·	a northeast so buildings and la into this aria. a double-trace is the Berlin Outer project was call Electrification Koethen railroad goes into effect Muldenstein rai Construction in River. It was a enlarged Repair work on completed and the Interval of 1955.4	withwest line. Inge quantities The operations railroad line er reight Ring led "SA-GO". Operations are d lire on 2 Co t. Power will l lroad power st t was observed the area betw liso learned th the railroad by	Sections of soft building were connected across the excheduled tober 1955 be supplied to the transfer of the t	f presenticated and materials we ected with the ected with the rom the souther Havel River. The to be resuced when the new with by the newly of the older his a the older River een in operations.	re being shi construction n section of the construct on the Hall inter time t constructed was under nd the Oder rea was to be near Kueste in Gouble-tre	pped of cion solution was ack) since
2 · 3 · 4 ·	south of Potstam a northeast = 50 buildings and la into this arrae. a double-trace a the Berlin Cutra project **as cail Electrification Koethen railroa goes into effect Muldenstein rai On 12 August, i construction in River. It was a enlarged Repair work on completed and 15 July 1955.4	withwest line. Inge quantities The operations railroad line e r Freight Ring led "SA-GO", operations are d lire on 2 Cot t. Power will l lroad power st t was observed the area betw liso learned th the railroad by pust, blasting	Sections of of building of building were connected in a cross the escheduled tober 1955 be supplied without a new con Kuestr and the transtate the transtate over ridge has being operations	f presabricate ng materials we ected with the rom the souther Havel Rivers T to be resumed when the new wi by the newly of maignal cabin in a Altstadt a ckage in this a the Oder River een in operation s have been under	re being shi construction n section of the construct on the Hall inter time t constructed was under nd the Oder rea was to t n flouble-tri er way at the	pped for for cion e - able e rin was ack) since e 25X1
2 · 3 · 4 ·	south of Potstam a northeast = 50 buildings and la into this arrae. a double-trace a the Berlin Cutra project **as cail Electrification Koethen railroa goes into effect Muldenstein rai On 12 August, i construction in River. It was a enlarged Repair work on completed and 15 July 1955.4	withwest line. Inge quantities The operations railroad line e r Freight Ring led "SA-GO", operations are d lire on 2 Cot t. Power will l lroad power st t was observed the area betw liso learned th the railroad by pust, blasting	Sections of of building of building were connected in a cross the escheduled tober 1955 be supplied without a new con Kuestr and the transtate the transtate over ridge has being operations	f presabricate ng materials we ected with the rom the souther Havel Rivers T to be resumed when the new wi by the newly of maignal cabin in a Altstadt a ckage in this a the Oder River een in operation s have been under	re being shi construction n section of the construct on the Hall inter time t constructed was under nd the Oder rea was to t n flouble-tri er way at the	pped for for cion e - able e rin was ack) since e 25X1
2 · 3 · 4 ·	south of rotsdam a northeast = 50 buildings and la into this arrae. a double-trace if the Berlin Cutor project **as call Electrification Koethen railroa goes into effect fuldenstein rai on 12 August, i construction in River. It **as enlarged Repair work on completed and 15 July 1955.4 Since early in bottom of Lake	withwest line. Inge quantities The operations railroad line e r Freight Ring led "SA-GO", operations are d line on 2 Cot t. Power will l lroad power st t was observed the area betw lso learned th the rilroad by gust, blasting Templin. The on for a railr	Sections of of building were connected in a cross the escheduled tober 1955 be supplied without a new seen Kuestrant the transfer has bridge has being operations blastings to coal embanks	f pre-labricate of pre-labricate of materials we ected with the rom the souther Havel River. The to be resumed when the new will by the newly of the Oder River een in operations have been under the oder materials have been under scheduled.	re being shi construction n section of the construct on the Hall inter time t constructed was under nd the Oder rea was to b n (double-tra er way at th der to obtai to be built	pped for for fin e - able rin was ack) since e 25X1 e n a across aud of
2. 3.	a northeast = 50 buildings and la into this arrae. a double-trace in the Berlin Outer project **as call Electrification Koethen railroa goes into effect Fuldenstein rai On 12 August, i construction in River. It was a enlarged Repair work on completed and 15 July 1955.4 Since early in bottom of Lake solid foundati	withwest line. Inge quantities The operations railroad line e r Freight Ring led "SA-GO", operations are d line on 2 Cot t. Power will l road power st t was observed the area betw lso learned th the rilroad by gust, blasting Templin. The on for a railroad	Sections of of building were connected in a cross the escheduled tober 1955 be supplied without a new rear Kuestrant, the transtructure in that a new ridge has being a contractions operations blastings to coad embanking of the coad embanking	f pre-labricate of pre-labricate of materials we ected with the rom the souther Havel River. The to be resumed when the new will by the newly of the Oder River een in operations have been under scheduled.	re being shi construction on section of the construction on the Hall inter time to constructed was under not the Oder rea was to be near Kuestion (double-trier way at the der to obtain to be built the	pped for of final control of for able rin was for ack) since 25X1 across for allroad
2. 3.	south of Potstam a northeast = 50 buildings and la into this arrae. a double-trace in the Berlin Cutor project **as cail Electrification Koethen railroa goes into effect Muldenstein rai On 12 August, i construction in River. It was a enlarged Repair work on completed and 15 July 1955.4 Since early in bottom of Lake solid foundati part of the la the lake bottom	withwest line. Inge quantities The operations railroad line e r Freight Ring led "SA-GO", operations are d lire on 2 Cot t. Power will l lroad power st t was observed the area betw lso learned th the rilroad by ust, blasting Templin. The on for a railr ke. m had to be re	Sections of of building of building were connected in a cross the escheduled tober 1955 be supplied without a new seen Kuestrant, the transit of the transit	f presenticated and materials we ected with the rom the souther Havel River. The to be resumed when the newly of the newly of the Oder River seen in operations have been under the oder the oder materials and the oder the oder materials and the oder the oder materials and the oder t	re being shi construction n section of the construct on the Hall inter time t constructed was under nd the Oder rea was to b r near Kuest on (double-tra er way at the der to obtai to be built meters. The meters the	pped of cion serin was ack) since 25X1 e across mud of crailroad er 1956. A
2. 3.	a northeast as so buildings and lo into this aria. a double-tract if the Berlin Cutar project was call Electrification Koethen railrowgoes into effect Muldenstein rai construction in River. It was a enlarged Repair work on completed and 15 July 1955. 4 Since early August, in the lake bottom of Lake solid foundati part of the lake bottom over Lake	west line. The operations railroad line of Freight Ring led "SA-GO". I operations are dire on 2 Cot. Power will broad power st twas observed the area between the railroad to the railroad broad power st twas observed the area between the railroad to the railroad broad to the railroad broad to the railroad broad the railroad the railroad broad the railro	Sections of soft building of building series the extending facross the excheduled tober 1955 be supplied button. 2 I that a new week Kuestr and the transit the transit over ridge has be appropriately building over ridge has because the extended to cheduled to	f presabricate on materials we ected with the rom the souther Havel River. The to be resumed when the newly of the newly of the newly of the oder River een in operations have been under the completed be completed be	re being shi construction on section of the construct on the Hall inter time t constructed was under nd the Oder rea was to b r near Kuest on (double-tri er way at th der to obtai to be built meters. The truction wol	pped of cion sion was ack) since 25X1 e a across mud of railroad or 1956. A
2. 3.	a northeast = so buildings and la into this aria. a double-trace if the Berlin Cutriproject **as call Electrification Koethen railroagoes into effect Muldenstein rail Construction in River. It was a enlarged Repair work on completed and 15 July 1955.4 Since early in bottom of Lake solid foundatipart of the late botto ine over Lake cantonment set.	twas observed the area between the railroad by	Sections of soft building of building factors the extending factors the excheduled tober 1955 be supplied without a new factor over the factor	f presabricate on materials we ected with the rom the souther Havel River. The to be resused when the newly of the newly of the oder River een in operations have been under scheduled. The completed be thousand consted along the Figure 1.	on the Hall inter time t constructed on the Hall inter time t constructed was under nd the Oder rea was to b constructed rea was to b constructed the obtain the meters. The y 1 Septembe truction wor	pped of cion sion was ack) since 25X1 en a across mud of railroad r 1956. A chendorf
2. 3.	a northeast = so buildings and la into this aria. a double-trace if the Berlin Cutriproject **as call Electrification Koethen railroagoes into effect Muldenstein rail Construction in River. It was a enlarged Repair work on completed and 15 July 1955.4 Since early in bottom of Lake solid foundatipart of the late botto ine over Lake cantonment set.	twas observed the area between the railroad by	Sections of soft building of building factors the extending factors the excheduled tober 1955 be supplied without a new factor over the factor	f presabricate on materials we ected with the rom the souther Havel River. The to be resused when the newly of the newly of the oder River een in operations have been under scheduled. The completed be thousand consted along the Figure 1.	on the Hall inter time t constructed on the Hall inter time t constructed was under nd the Oder rea was to b constructed rea was to b constructed the obtain the meters. The y 1 Septembe truction wor	pped of cion sion was ack) since 25X1 en a across mud of railroad r 1956. A chendorf
2 · 3 · 4 ·	a northeast a so buildings and la into this aria. a double-trace if the Berlin Cutriproject was call Electrification Koethen railrowgoes into effect buildenstein rai on 12 August, i construction in River. It was a enlarged Repair work on completed and 15 July 1955. 4 Since early important of the lake solid foundati part of the lake solid foundati part of the lake cantonment schemployed on thighway. The record The work	twas observed the area between the area between the area between the railroad by the railroad	Sections of soft building of building factors the extending factors the excheduled tober 1955 be supplied without a new factor over the factor	f presabricate on materials we ected with the rom the souther Havel River. The to be resused when the newly of the newly of the oder River een in operations have been under scheduled. The completed be thousand consted along the Figure 1.	on the Hall inter time t constructed on the Hall inter time t constructed was under nd the Oder rea was to b constructed rea was to b constructed the obtain the meters. The y 1 Septembe truction wor	pped of cion sion was ack) since 25X1 en a across mud of railroad r 1956. A chendorf
2. 3. 4.	a northeast = so buildings and la into this aria. a double-trace if the Berlin Cutriproject was call Electrification Koethen railroagoes into effect Muldenstein rail Construction in River. It was a enlarged Repair work on completed and 15 July 1955. 4 Since early au bottom of Lake solid foundatipart of the late lake botto ine over Lake cantonment schemployed on the ighway. The work on the canton of the work of the solid foundatipart of the late lake botto ine over Lake cantonment schemployed on the poor. The work food and	twas observed the area betwalso learned the railroad by the ra	sections of soft building of building factors the extending factors the excheduled tober 1955 be supplied without a new factor over the transfer over the tr	f presabricate of materials we ected with the rom the souther Havel River. The to be resuded when the newly of the newly of the newly of the newly of the oder River een in operations have been under scheduled a depth of 34 be completed by thousand consted along the for workers was sor accommodation.	on the Hall inter time to constructed on the Hall inter time to constructed was under nd the Oder rea was to be constructed rear Kuest: con (double-tri to be built the meters. The y 1 September truction wor cotsdam - Mic said to be reas without e	pped of cion con con con con con con con con con c
2. 3. 4.	a northeast = so buildings and la into this aria. a double-track if the Berlin Cuter project **as call Electrification Koethen railroad goes into effect Muldenstein rail Construction in River. It was a enlarged Repair work on completed and 15 July 1955. 4 Since early au bottom of Lake solid foundati part of the lake bottom of the lake	withwest line. Inge quantities The operations railroad line er reight Ring led "SA-GO". Operations are d lire on 2 Cot t. Power will l lroad power st t was observed a the area betw also learned th the rilroad be the railroad be must, blasting Templin. The on for a railr me had to be re the templin is so meduled to quar me project was morale of the con low wages.	Sections of sof building of building is were connected in a coross the escheduled tober 1955 be supplied to the construction. I that a new ween Kuestr mat the transition over ridge has being the construction of the constructio	f presenticated of materials we ected with the rom the souther Havel River. The to be resused when the new will by the newly of the Oder River een in operations have been under the completed be completed be thousand constend along the firm workers was sor accommodation, the approach root the approach root in workers was sor accommodation, the approach root in workers was sor accommodation.	on the Hall inter time to constructed on the Hall inter time to constructed was under nd the Oder rea was to be constructed rear Kuest: con (double-tri to be built the meters. The y 1 September truction wor cotsdam - Mic said to be reas without e	pped of cion con con con con con con con con con c
2. 3. 4.	a northeast = so buildings and la into this aria. a double-trace if the Berlin Outer project **as call Electrification Koethen railroad goes into effect Euldenstein rail Construction in River. It was an arged? Repair work on completed and 15 July 1955.4 Since early in bottom of Lake solid foundati part of the late lake bottom of Lake cantonment schemployed on the highway. The poor. The work poor food and	the st line. The operations are complained "SA-GO". operations are dire on 2 Cott. Power will broad power st twas observed the area between the reilroad broad the railroad broad to gramplin is so needed to quark the project was morale of the complained low wages.	Sections of sof building of building facross the extending facross the excheduled tober 1955 be supplied without a new ween Kuestr hat the transition. I had a new ween knestring has being exceeded to reason to being executed about possibulous and for loctober to the soft of the construction of the constru	f presenticated of materials we ected with the rom the souther Havel River. The to be resused when the new will by the newly of the Oder River een in operations have been under the completed be completed be thousand constend along the firm workers was sor accommodation, the approach root the approach root in workers was sor accommodation, the approach root in workers was sor accommodation.	on the Hall inter time to constructed on the Hall inter time to constructed was under nd the Oder rea was to be constructed rear Kuest: con (double-tri to be built the meters. The y 1 September truction wor cotsdam - Mic said to be reas without e	pped of cion con con con con con con con con con c
2. 3. 4.	a northeast = so buildings and la into this aria. a double-trace if the Berlin Outer project **as call Electrification Koethen railroad goes into effect Euldenstein rail Construction in River. It was an arged? Repair work on completed and 15 July 1955.4 Since early in bottom of Lake solid foundati part of the late lake bottom of Lake cantonment schemployed on the highway. The poor. The work poor food and	the continue of the care of the area between the railroad	Sections of sof building of building facross the extending facross the excheduled tober 1955 be supplied without a new factor over the factor	f presenticated of materials we ected with the rom the souther Havel River. The to be resused when the new will by the newly of the Oder River een in operations have been under the completed be completed be thousand constend along the firm workers was sor accommodation, the approach root the approach root in workers was sor accommodation, the approach root in workers was sor accommodation.	on the Hall inter time to constructed on the Hall inter time to constructed was under nd the Oder rea was to be constructed rear Kuest: con (double-tri to be built the meters. The y 1 September truction wor cotsdam - Mic said to be reas without e	pped of cion con con con con con con con con con c
2. 3. 4. 5.	a northeast = so buildings and la into this aria. a double-trace if the Berlin Outer project **as call Electrification Koethen railroad goes into effect Euldenstein rail Construction in River. It was an arged? Repair work on completed and 15 July 1955.4 Since early in bottom of Lake solid foundati part of the late lake bottom of Lake cantonment schemployed on the highway. The poor. The work poor food and	withwest line. Inge quantities The operations railroad line of reight Ring led "SA-GO". Operations are d lire on 2 Cot. Power will l lroad power st t was observed the area betw laso learned th the rilroad be ust, blasting Templin. The on for a railr ke. Templin is so meduled to quar me project was morale of the completed be completed be completed be completed be	Sections of sof building of building facross the extending facross the excheduled tober 1955 be supplied without a new ween Kuestr hat the transition. I had a new ween knestring has being exceeded to reason to being executed about possibulous and for loctober to the soft of the construction of the constru	f presenticated of materials we ected with the rom the souther Havel River. The to be resused when the new will by the newly of the Oder River een in operations have been under the completed be completed be thousand constend along the firm workers was sor accommodation, the approach root the approach root in workers was sor accommodation, the approach root in workers was sor accommodation.	on the Hall inter time to constructed on the Hall inter time to constructed was under nd the Oder rea was to be constructed rear Kuest: con (double-tri to be built the meters. The y 1 September truction wor cotsdam - Mic said to be reas without e	pped of cion con con con con con con con con con c

	SEORET .	25 X 1
		25 X 1
	2 = 2 =	
10	On 4 August, it was learned that the Main Administration for Brown Coal in the Binistry for Heavy Industry intends to convert the coal	
	railroad line from the "Glueckauf" line south of Eneppeared to the Trattendorf electric power station to a standard-gauge line. This	
	project was designed in connection with the esta lishment of a new brown coal processing plant at Schwarze Pumpe (Combinat Schwarze	,
	Pumpe). As far as possible, the track is to utilize the embankment for the new railroad line built by the East German railroad administration. The two tracks are to be 6 meters apart. A new double-track coal railroad	
	line is also scheduled to be built from the newly established open- it mine at Nochten to Kombinat Schwarze Pumpe and the Trattendorf	
	electric power station. This line will cross the new railroad line of	
	the railroad administration through an underpass about 7.5 kilometers north of Knappenrode. The two railroad lines will also carry coal to	
	Trattendorf and Kombinat Schwarze Pumpe from the Burghummer open-pit mine.	
3 ن		25 X 1
<i>-</i>	86 men were assigned to construction work on the Jeuben - Profen railroad line on 20 July.	25 X 1
L s	Comment. As previously reported, work on the construction of a rail link between Saarmund and Golm, the last remaining stretch of the Cerlin	25X1
	"West Ring" was started in mid-July. Press	25 X 1
	reports indicate that the realization of the project is meeting with great difficulties and that the rail link will hardly be completed	
	before mid-1957.	5 X 1
2 .	Comment. This statement confirms information	25 X 1
	that the first trial run on the re-electrified Halle - Koethen line section was made on 27 July	25X1 25X1
3 .	Comment. Information on the enlargement of the Kuestrin railroad station was transmitted previously. Enlargement may mean new sidings.	25X1
4 .	Comment. Information on the eplacement of the military bridge equipment utilized for the temporary reconstruction of this railroad	25X1
	bridge was transmitted previously.	25 X 1
5 •	Comment. The construction of a 400-meter loading ramp at Neubukow railroad station which harves the Mustrow AAA range wasknown previously.	25X1
	. It is possible that the rang will be completed by 1 October.	25 X 1
-		25 X 1
5 ,	Comment. Information on railroad construction projects in the brown coal area near Schwarze Pumpe was transmitted previously. Two blueprints attached to referenced report	25X1 25X1
	show the course of the new railroad line scheduled to be built.	
7 •	Comment. It is not quite clear whether a new railroad line eliminating the Zeitz railroad junction will be built between Deuben and Profes or if the information refers to repair work on the existing Deuben - Zeitz - Profes	
	ruilroad line.	
	SECRET =	25 X 1

